


Rocha, Hernán

De: Ventas Kefren Argentina SRL <ventas@kefrenargentinasrl.com.ar>
Enviado el: miércoles, 29 de agosto de 2018 12:32
Para: Rocha, Hernán
Asunto: Kit toma muestras
Datos adjuntos: Kit Toma Muestra Manual .pdf

Buenos Aires , 29 de agosto de 2018
Sr. / Sres. Operadora Ferroviaria SE - Trenes Argentinos
At : Hernán Rocha.

Kit toma muestras para tanque subterráneo.

Cuerpo central roscado , material bronce, capacidad 1.500 cm3 , cabezales alternativos de tomas de muestras para configurar el equipo como toma muestra de FONDO o toma muestra de ZONA, embudo bronce.



Fernando Verdún
Ventas
ventas@kefrenargentinasrl.com.ar

AILE[®] FYRQ-01 5GL Thread-On Spill Container

AILE Spill containment Manhole is designed to prevent spilled product from entering the soil near the fill and vapor return riser connections on underground storage tanks during normal tank filling operation, or in the event of tank overflow. The spill containment catches spillage to help prevent soil contamination and ground water pollution. **AILE** Thread-On Spill Containment Manhole is generally used on new tank or riser pipe installations.

Materials:

Cover: Cast Iron

Mounting ring: Cast Iron

Bellows: Polyethylene

Base: Compound Fibre



Clamps: Stainless Steel

Seals: Buna-N

Package:

Net Weight: 25.35kg/case

Gross Weight: 28kg/case
42x42x48cm³/case



Installation Instruction

Warning:

Application and use of this product should be in compliance with local, state and federal regulations. Selection of this products should be based on physical specifications, limitations and compatibility with the environment and material to be handled. **AILE** makes no warranty of fitness for a particular use.

Features and Benefits:


- ◆ **Easy installation** - Reduces job-site time and installation costs. Thread-On Spill Containment screw directly onto 4" NPT or BSP risers. No external connections to make; adjust the final grade height and support the unit with backfill.
- ◆ **Integral Pull-to-Open Drain Valve** - Allows high-speed drainage of excess product into the tank. Designed with a conventional self-cleaning seal and removable screen for easier component cleaning.
- ◆ **Capacity** - Available in a true 5 gallon capacity.
- ◆ **Rain-Shedding Cover** - Available in cast iron, this unique design incorporates a seal in the underside of the cover. The seal seats between 2 dams on the mounting ring to prevent surface water from entering the spill container.
- ◆ **Fuel Compatibility** - Designed to accommodate the fuels of the future, including methanol, ethanol and fuels with MTBE additives.
- ◆ **Heavy-Duty Mounting Ring** - The angled ramp design offers superior protection against snow and conductive. A rugged optional cast iron base is also available.

AILE[®]

Copyright 2004, AILE OIL EQUIPMENT MANUFACTURING CO.,LTD. Printed in china 8/04

AILE[®] OIL EQUIPMENT MANUFACTURING CO., LTD.

[Handwritten signature]



Number of drawing	Name	Number
9	Caster ring	1
8	Spill bucket cover	1
7	Spill bucket Ring	1
6	Early pipe	1
5	Chain	1
4	Cooper	2
3	Bell gasket	2
2	Valve kit	1
1	Body	1

14 de 18

Rocha, Hernán

De: Clausi, Matias
Enviado el: martes, 7 de agosto de 2018 09:36
Para: Rocha, Hernán
Asunto: RV: Precios
Datos adjuntos: Bombas Ant. Fill Rite-Público Noviembre 2015.doc

De: Ventas Kefren Argentina SRL [mailto:ventas@kefrenargentinasrl.com.ar]
Enviado el: viernes, 3 de agosto de 2018 10:01
Para: Clausi, Matias
Asunto: Precios

*Buenos Aires , 03 de agosto de 2018
Sr. / Sres. Trenes Argentinos Operaciones
At : Logistica , Matias Clausi*

Precios

Pico automático , conexión 1" , modelo 7H-0400 OPW U\$ 335,90 más IVA 21 %



Pico automático , conexión 1 1/2" , modelo 1290-0050 OPW U\$ 1.276,10 más IVA 21 %





Medida Patrón : U\$ 600,00 más IVA 21 %

15 de 18



Kit de muestreo , para tanques subterrneos .
 Precio unitario : U\$ 250,00 más IVA 21 %



FR-901

MEDIDOR MECANICO DE 1 1/2" CON 4 DIGITOS Y TOTALIZADOR.
 151 LPM. ESPECIAL PARA COMBUSTIBLES.PRECISION:+-2%, TOT
 LITROS-TOTALIZADOR MAESTRO:9,999,999 LITROS-PRESION: 50
 UL/CSA.RECOMENDADO PARA GAS OIL-NAFTA,KEROSENE,EXT.
 SOLVENTE STODDARD Y HEPTANO

Tapa acople rápido modelo 634 B



- | | |
|-------------------|-------------------------|
| 634 B 2" aluminio | U\$ 19,00 más IVA 21 % |
| 634 B 2" bronce | U\$ 50,80 más IVA 21 % |
| 634 B 4" aluminio | U\$ 32,50 más IVA 21 % |
| 634 B 4" bronce | U\$ 135,35 más IVA 21 % |

16 de 18

Tapas descarga hermética

634 KE 3" una leva



U\$ 32,30 más IVA 21 %

634 KCE 3" Clamp



U\$ 38,70 más IVA 21 %

634 KKE 4" Clamp



U\$ 47,70 más IVA 21 %

DC-300B2 3" leva 90°



U\$ 38,40 más IVA 21 %

Pasta detectora agua , Kolor Kut Modified (para uso con biodiesel y mezclas con alcoholes)

Caja 12 unidades (pomo 71 grs. c/u) U\$ 466,05 más IVA 21 %



Tramo armado manguera 1" 5460 TAR por 5 mts, reforzada c/terminales 1" U\$ 205,00 más IVA 21 %

Tanque BIN , capacidad 1000 lts.

U\$ 1.640,00 más IVA 21 %



Equipos surtidores portátiles Fill Rite : adjunto archivo con lista completa.

Fernando Verdún

Ventas

ventas@kefrenargentinasrl.com.ar



República Argentina - Poder Ejecutivo Nacional
2019 - Año de la Exportación

**Hoja Adicional de Firmas
Pliego Especificaciones Tecnicas**

Número:

Referencia: RC 32370 PET Insumos Importados

El documento fue importado por el sistema GEDO con un total de 6 pagina/s.